


SPOT TRACK



These small decorative spotlights are suitable for illuminating objects and details in museums and exhibition areas where efficient but discreet solutions are requested.

Technical specifications

With different lengths, Spot Track spotlights are high-bay systems which can be directly mounted in the ceiling - using a base with jack - or on electrical powered tracks for very low halogen lamps.

These luminaires consist of a supporting stem in coated steel, attached to the lighting elements with glass and aluminium diffusers.

The system includes an electrical powered track to create different configurations using the various accessories: flexible and linear joints, L joints, ceiling and wall connections, high-bay and base systems, 150 and 250VA electronic transformers.

The track is made of extruded aluminium; electrical wires are contained in an extruded PVC sheath situated inside the track. The wire section supports max load of 25A (about 300 W).



SPOT TRACK

DESIGN - QUATTROBI TECHNICAL DEPARTMENT



Light sources

Spot Track luminaires use very low voltage halogen lamps (35 W 12V GU4, 50 W 12V GU5,3).

Structural features

Installation: electrical powered track, base

Luminaire housing:

coated steel stem, die-cast aluminium or glass housing

Light sources: very low voltage halogen lamps (-12V)
















Finishing: white, black, grey, chrome


Protection class: IP20

Insulation class: III ⚡

Power supply: 12V

High-bay luminaire for very low voltage halogen lamps.
 Jack or electrical powered track installation.
 Extruded aluminium structure.


CODE	DESCRIPTION	
5717	Jack - length 150 mm HRGI - 50W max - 12V - GU5,3 Colour: 01 - 14 - 18 Kg 0.06	   
5732	Jack - length 300 mm HRGI - 50W max - 12V - GU5,3 Colour: 01 - 14 - 18 Kg 0.10	   
5762	Jack - length 600 mm HRGI - 50W max - 12V - GU5,3 Colour: 01 - 14 - 18 Kg 0.10	   
5817	Electrical powered track fitting - length 150 mm HRGI - 50W max - 12V - GU5,3 Colour: 01 - 14 - 18 Kg 0.07	   
5832	Electrical powered track fitting - length 300 mm HRGI - 50W max - 12V - GU5,3 Colour: 01 - 14 - 18 Kg 0.11	   
5862	Electrical powered track fitting - length 600 mm HRGI - 50W max - 12V - GU5,3 Colour: 01 - 14 - 18 Kg 0.16	   



FITTING CONFIGURATION



FITTING JACK



FITTING ON TRACK

Size (mm)









01 white
 14 chrome
 18 grey


NOTE

High-bay luminaire for very low voltage halogen lamps.
 Jack or electrical powered track installation.
 Aluminium structure.


SPOT TRACK

DESIGN - QUATTROBI TECHNICAL DEPARTMENT


CODE	DESCRIPTION	
5718	Jack - length 150 mm HRGI - 35W max - 12V - GU4 Colour: 01 - 14 - 18 Kg 0.06	   
5733	Jack - length 300 mm HRGI - 35W max - 12V - GU4 Colour: 01 - 14 - 18 Kg 0.10	   
5763	Jack - length 600 mm HRGI - 35W max - 12V - GU4 Colour: 01 - 14 - 18 Kg 0.15	   
5818	Electrical powered track fitting - length 150 mm HRGI - 35W max - 12V - GU4 Colour: 01 - 14 - 18 Kg 0.07	   
5833	Electrical powered track fitting - length 300 mm HRGI - 35W max - 12V - GU4 Colour: 01 - 14 - 18 Kg 0.11	   
5863	Electrical powered track fitting - length 600 mm HRGI - 35W max - 12V - GU4 Colour: 01 - 14 - 18 Kg 0.16	   



FITTING CONFIGURATION



FITTING JACK



FITTING ON TRACK


Size (mm)

01 white
 14 chrome
 18 grey


NOTE

High-bay luminaire for very low voltage halogen lamps.
 Jack or electrical powered track installation.
 Coated aluminium and satin glass structure.


CODE	DESCRIPTION	
5726	Jack - length 150 mm HRGI - 50W max - 12V - GU5,3 Colour: 01 - 14 - 18 Kg 0.06	   CE
5738	Jack - length 300 mm HRGI - 50W max - 12V - GU5,3 Colour: 01 - 14 - 18 Kg 0.10	   CE
5768	Jack - length 600 HRGI - 50W max - 12V - GU5,3 Colour: 01 - 14 - 18 Kg 0.10	   CE
5826	Electrical powered track fitting – length 150 mm HRGI - 50W max - 12V - GU5,3 Colour: 01 - 14 - 18 Kg 0.07	   CE
5838	Electrical powered track fitting – length 300 mm HRGI - 50W max - 12V - GU5,3 Colour: 01 - 14 - 18 Kg 0.11	   CE
5868	Electrical powered track fitting – length 600 mm HRGI - 50W max - 12V - GU5,3 Colour: 01 - 14 - 18 Kg 0.16	   CE



FITTING CONFIGURATION



FITTING JACK



FITTING ON TRACK

Size (mm)

01 white
 14 chrome
 18 grey



NOTE

High-bay luminaire for very low voltage halogen lamps.
 Jack or electrical powered track installation.
 Coated aluminium and satin glass structure.


SPOT TRACK

DESIGN - QUATTROBI TECHNICAL DEPARTMENT

CODE	DESCRIPTION	
5727	Jack - length 150 mm HRGI - 35W max - 12V - GU4 Colour: 01 - 14 - 18 Kg 0.06	   CE
5739	Jack - length 300 mm HRGI - 35W max - 12V - GU4,3 Colour: 01 - 14 - 18 Kg 0.10	   CE
5769	Jack - length 600 mm HRGI - 35W max - 12V - GU4 Colour: 01 - 14 - 18 Kg 0.15	   CE
5827	Electrical powered track fitting - length 150 mm HRGI - 35W max - 12V - GU4 Colour: 01 - 14 - 18 Kg 0.07	   CE
5839	Electrical powered track fitting - length 300 mm HRGI - 35W max - 12V - GU4 Colour: 01 - 14 - 18 Kg 0.11	   CE
5869	Electrical powered track fitting - length 600 mm HRGI - 35W max - 12V - GU4 Colour: 01 - 14 - 18 Kg 0.16	   CE



FITTING CONFIGURATION



FITTING JACK





FITTING ON TRACK

Size (mm)

01 white
 14 chrome
 18 grey

NOTE


Electrical powered track 12V. Extruded aluminium structure.

CODE	DESCRIPTION	
771	Lunghezza metri 1 Colori: 01 - 02 - 14 - 18 Kg 0.46	
772	Lunghezza metri 2 Colori: 01 - 02 - 14 - 18 Kg 0.90	



DESIGN FEATURES

Wire section 2 x 6 mm².
Total load 25A equal to 300W




Size (mm)

01 white
02 black
14 chrome
18 grey

NOTE

CODE	DESCRIPTION
776	Left power supply connection Colour: 01 - 02
777	Central power supply connection Colour: 01 - 02
778	Flexible joint Colour: 01 - 02
779	L-joint Colour: 01 - 02
780	Linear joint with contacts Colour: 01 - 02
781	Linear joint without contacts Colour: 01 - 02
782	Track end cover Colour: 01 - 02
783	Track covering 1 m Colour: 01 - 02
784	Set of two ceiling and wall connections
785	High-bay installation with ceiling rose Length: 2 m Colour: 01 - 02
788	Electronic transformer 150VA Colour: 01 - 02
789	Electronic transformer 250VA Colour: 01 - 02
796	Recessed base for spotlights with jack Recessed hole diameter 60 mm - Colours: 01 - 02 - 14 - 18
798	Base with transformer for spotlights with jack Colour: 01 - 02 - 18

Size (mm)



- 01 white
- 02 black
- 14 chrome
- 18 grey

NOTE