


CITYLIGHTS CYLINDRICAL

- FOR EUTRAC 1 CIRCUIT AND 3 CIRCUIT TRACK, WITH OR WITHOUT DATA BUS
- FOR EUTRAC LOW-VOLTAGE TRACK
- MADE OF DIE-CAST ALUMINIUM
- WITH EUTRAC 1 CIRCUIT ADAPTOR, EUTRAC 3 CIRCUIT ADAPTOR OR LOW-VOLTAGE ADAPTOR
- SILVER, WHITE OR BLACK FINISH

CITYLIGHT 70 FOR HIT-TC-CE




CITYLIGHT 70 FOR HALOGEN




CITYLIGHT 70 FOR HIT-TC-CE

	ADAPTOR	SILVER	WHITE	BLACK	Ø	H	L	W	DATA
1 x 20W	1~	SX 70-220-3	SX 70-220-1	SX 70-220-2	70	89	65	0.8kg	4990
1 x 20W	3~	SX 70-221-3	SX 70-221-1	SX 70-221-2	70	89	65	0.8kg	4990




CITYLIGHT 70 FOR QR-CB 51

	ADAPTOR	SILVER	WHITE	BLACK	Ø	H	L	W	DATA
1 x 20-50W	1~ DALI	SX 70-229-3	SX 70-229-1	SX 70-229-2	70	89	65	0.8kg	*
1 x 20-50W	3~ DALI	SX 70-224-3	SX 70-224-1	SX 70-224-2	70	89	65	0.8kg	*
1 x 20-50W	12V	SX 70-222-3	SX 70-222-1	SX 70-222-2	70	89	65	0.7kg	*
1 x 20-50W	1~	SX 70-228-3	SX 70-228-1	SX 70-228-2	70	89	65	0.8kg	*
1 x 20-50W	3~	SX 70-223-3	SX 70-223-1	SX 70-223-2	70	89	65	0.8kg	*



CITYLIGHT 70 FOR QPAR 16

	ADAPTOR	SILVER	WHITE	BLACK	Ø	H	L	W	DATA
1 x 35-50W	1~ DALI	SX 70-230-3	SX 70-230-1	SX 70-230-2	70	89	65	0.8kg	*
1 x 35-50W	3~ DALI	SX 70-227-3	SX 70-227-1	SX 70-227-2	70	89	65	0.8kg	*
1 x 35-50W	1~	SX 70-225-3	SX 70-225-1	SX 70-225-2	70	89	65	0.8kg	*
1 x 35-50W	3~	SX 70-226-3	SX 70-226-1	SX 70-226-2	70	89	65	0.8kg	*



Ø: Diameter · H: Spotlight head height · L: Pendant rod length · W: Weight · Additional photometrics on request
* Light distribution according to photometrics of selected reflector lamp · 1~ abbreviation for 1 circuit · 3~ abbreviation for 3 circuit



CITYLIGHTS CYLINDRICAL

- FOR METAL HALIDE LAMPS
- FOR EUTRAC 1 CIRCUIT AND 3 CIRCUIT TRACK, WITH OR WITHOUT DATA BUS
- MADE OF DIE-CAST ALUMINIUM
- WITH EUTRAC 1 CIRCUIT OR 3 CIRCUIT ADAPTOR
- SILVER, WHITE OR BLACK FINISH

CITYLIGHT 130 FOR HIT-CE




CITYLIGHT 130 FOR HIR-CE



CITYLIGHT 130 FOR HIT-CE 12°

	ADAPTOR	SILVER	WHITE	BLACK	Ø	H	L	W
1 x 35W	1~	SX 130-220-3	SX 130-220-1	SX 130-220-2	130	132	110	1.8kg
1 x 35W	3~	SX 130-221-3	SX 130-221-1	SX 130-221-2	130	132	110	1.8kg
1 x 70W	1~	SX 130-260-3	SX 130-260-1	SX 130-260-2	130	132	110	1.8kg
1 x 70W	3~	SX 130-261-3	SX 130-261-1	SX 130-261-2	130	132	110	1.8kg





CITYLIGHT 130 FOR HIT-CE 39°

	ADAPTOR	SILVER	WHITE	BLACK	Ø	H	L	W
1 x 35W	1~	SX 130-262-3	SX 130-262-1	SX 130-262-2	130	132	110	1.8kg
1 x 35W	3~	SX 130-263-3	SX 130-263-1	SX 130-263-2	130	132	110	1.8kg
1 x 70W	1~	SX 130-264-3	SX 130-264-1	SX 130-264-2	130	132	110	1.8kg
1 x 70W	3~	SX 130-265-3	SX 130-265-1	SX 130-265-2	130	132	110	1.8kg



CITYLIGHT 130 FOR HIR-CE

	ADAPTOR	SILVER	WHITE	BLACK	Ø	H	L	W
1 x 35W	1~ DALI	SX 130-228-3	SX 130-228-1	SX 130-228-2	130	132	110	1.8kg
1 x 35W	3~ DALI	SX 130-229-3	SX 130-229-1	SX 130-229-2	130	132	110	1.8kg
1 x 70W	1~ DALI	SX 130-235-3	SX 130-235-1	SX 130-235-2	130	132	110	1.8kg
1 x 70W	3~ DALI	SX 130-237-3	SX 130-237-1	SX 130-237-2	130	132	110	1.8kg
1 x 35W	1~	SX 130-232-3	SX 130-232-1	SX 130-232-2	130	132	110	1.8kg
1 x 35W	3~	SX 130-233-3	SX 130-233-1	SX 130-233-2	130	132	110	1.8kg
1 x 70W	1~	SX 130-234-3	SX 130-234-1	SX 130-234-2	130	132	110	1.8kg
1 x 70W	3~	SX 130-236-3	SX 130-236-1	SX 130-236-2	130	132	110	1.8kg



Ø: Diameter · H: Spotlight head height · L: Pendant rod length · W: Weight
Photometrics on request · CITYLIGHTS 130 accessories see page 177
1~ abbreviation for 1 circuit · 3~ abbreviation for 3 circuit



CITYLIGHTS CYLINDRICAL

- FOR HALOGEN LAMPS
- FOR EUTRAC 1 CIRCUIT OR 3 CIRCUIT TRACK, WITH OR WITHOUT DATA BUS
- MADE OF DIE-CAST ALUMINIUM
- WITH EUTRAC 1 CIRCUIT OR 3 CIRCUIT ADAPTOR
- SILVER, WHITE OR BLACK FINISH


CITYLIGHT 130 FOR QT 12

CITYLIGHT 130 FOR QR 111




CITYLIGHT 130 FOR QT 12 9°

	ADAPTOR	SILVER	WHITE	BLACK	Ø	H	L	W
1 x 100W	1~ DALI	SX 130-267-3	SX 130-267-1	SX 130-267-2	130	132	110	1.8kg
1 x 100W	3~ DALI	SX 130-225-3	SX 130-225-1	SX 130-225-2	130	132	110	1.8kg
1 x 100W	1~	SX 130-266-3	SX 130-266-1	SX 130-266-2	130	132	110	1.8kg
1 x 100W	3~	SX 130-224-3	SX 130-224-1	SX 130-224-2	130	132	110	1.8kg





CITYLIGHT 130 FOR QT 12 29°

	ADAPTOR	SILVER	WHITE	BLACK	Ø	H	L	W
1 x 100W	1~ DALI	SX 130-269-3	SX 130-269-1	SX 130-269-2	130	132	110	1.8kg
1 x 100W	3~ DALI	SX 130-271-3	SX 130-271-1	SX 130-271-2	130	132	110	1.8kg
1 x 100W	1~	SX 130-268-3	SX 130-268-1	SX 130-268-2	130	132	110	1.8kg
1 x 100W	3~	SX 130-270-3	SX 130-270-1	SX 130-270-2	130	132	110	1.8kg



CITYLIGHT 130 FOR QR 111

	ADAPTOR	SILVER	WHITE	BLACK	Ø	H	L	W
1 x 100W	1~ DALI	SX 130-239-3	SX 130-239-1	SX 130-239-2	130	132	110	1.8kg
1 x 100W	3~ DALI	SX 130-227-3	SX 130-227-1	SX 130-227-2	130	132	110	1.8kg
1 x 100W	1~	SX 130-238-3	SX 130-238-1	SX 130-238-2	130	132	110	1.8kg
1 x 100W	3~	SX 130-226-3	SX 130-226-1	SX 130-226-2	130	132	110	1.8kg



Ø: Diameter · H: Spotlight head height · L: Pendant rod length · W: Weight · Photometrics on request · CITYLIGHTS 130 accessories see page 177
1~ abbreviation for 1 circuit · 3~ abbreviation for 3 circuit



CITYLIGHTS CYLINDRICAL


- FOR LED
- RGB LED ON REQUEST
- FOR EUTRAC 1 CIRCUIT OR 3 CIRCUIT TRACK
- MADE OF DIE-CAST ALUMINIUM
- WITH EUTRAC 1 CIRCUIT OR 3 CIRCUIT ADAPTOR
- SILVER, WHITE OR BLACK FINISH

CITYLIGHT 130 FOR LED



CITYLIGHT 130 FOR LED















	ADAPTOR	SILVER	WHITE	BLACK	Ø	H	L	W	DATA
1 x 15W*	White LED 1~	SX 130-272-3	SX 130-272-1	SX 130-272-2	130	132	110	1.8kg	4995
1 x 15W*	White LED 3~	SX 130-230-3	SX 130-230-1	SX 130-230-2	130	132	110	1.8kg	4994



Ø: Diameter · H: Spotlight head height · L: Pendant rod length · W: Weight · Photometrics on request · CITYLIGHTS 130 accessories see page 177
* Developments of LED modules will follow current technical developments – current data on request · 1~ abbreviation for 1 circuit · 3~ abbreviation for 3 circuit



CITYLIGHTS OVERVIEW

		CITYLIGHT 70 CYLINDRICAL	CITYLIGHT 130 CYLINDRICAL	CITYLIGHT 70 SPHERICAL	CITYLIGHT 130 SPHERICAL
	12V Standard Adaptor	SX 70-222-.		SX 70-202-.	
	1 circuit Multi Adaptor	SX 70-225-.	SX 130-272-.	SX 70-225-.	
	3 circuit Multi Adaptor	SX 70-226-.	SX 130-230-.	SX 70-206-.	
	1 circuit Electronic Multi Adaptor 35-105W	SX 70-228-.	SX 130-238-. SX 130-266-. SX 130-268-.	SX 70-208-.	SX 130-218-. SX 130-246-. SX 130-248-.
	3 circuit Electronic Multi Adaptor 35-105W	SX 70-223-.	SX 130-224-. SX 130-226-. SX 130-270-.	SX 70-203-.	SX 130-204-. SX 130-206-. SX 130-250-.
	1 circuit Electronic Multi Adaptor GO HIT 20W	SX 70-220-.		SX 70-200-.	
	3 circuit Electronic Multi Adaptor GO HIT 20W	SX 70-221-.		SX 70-201-.	
	1 circuit DALI-Dim Adaptor LV 35-100W	SX 70-229-.	SX 130-239-.	SX 70-209-.	SX 130-219-.
	1 circuit DALI-Dim Adaptor HV	SX 70-230-.	SX 130-267-. SX 130-269-.	SX 70-210-.	SX 130-247-. SX 130-249-.
	3 circuit DALI-Dim Adaptor LV 35-100W	SX 70-224-.	SX 130-225-.	SX 70-224-.	SX 130-205-.
	3 circuit DALI-Dim Adaptor HV	SX 70-227-.	SX 130-227-. SX 130-271-.	SX 70-207-.	SX 130-207-. SX 130-251-.
	1 circuit Multi-Compact Adaptor		SX 130-220-.		SX 130-200-.
	1 circuit Multi-Compact Adaptor with data bus contacts		SX 130-228-. SX 130-232-. SX 130-234-. SX 130-235-. SX 130-260-. SX 130-262-. SX 130-264-.		SX 130-208-. SX 130-212-. SX 130-214-. SX 130-215-. SX 130-240-. SX 130-242-. SX 130-244-.
	3 circuit Multi-Compact Adaptor		SX 130-221-.		SX 130-201-.
	3 circuit Multi-Compact Adaptor with data bus contacts		SX 130-229-. SX 130-233-. SX 130-236-. SX 130-237-. SX 130-261-. SX 130-263-. SX 130-265-.		SX 130-209-. SX 130-213-. SX 130-216-. SX 130-217-. SX 130-241-. SX 130-243-. SX 130-245-.

Colour code: ...-1 = White · ...-2 = Black · ...-3 = Silver

CITYLIGHTS 130 ACCESSORIES illustrations see page 161

SX 98-160-0	Barn doors
SX 98-161-0	Lens protection cylinder
SX 98-162-0	Honeycomb louvre
SX 98-163-0	UV – filter dichroitic
SX 98-164-0	Infrared filter
SX 98-165-0	Sculpture lens
ON REQUEST	Colour filter