





■ **mira 150**  
pagg. 24÷27  
project by Moretti Luce - IT



art.

5111  
5121  
5131  
5141

design **Ufficio Tecnico Landa**

corpo **alluminio pressofuso**  
body **in die casting aluminium**  
corps **en aluminium moulé**  
**sous pression**  
cuerpo **aluminio inyectado**  
Körper **aus Aluminium-Druckguss**

diffusore **vetro trasparente**  
diffuser **glass transparent**  
diffuser **verre transparent**  
difusor **vidrio transparente**  
Diffuser **Glas klar**



For technical details visit  
[www.landa.it](http://www.landa.it)

IP67

dettagli / details / details  
detalles / details:  
page 4-5





5111 (3W)




5111 (12W)

frontale in alluminio / aluminium frame /  
cadre en aluminium / cornis aluminium /  
Rahmen aus Aluminium




5121 (3W)



5121 (12W)

frontale in acciaio inox  
AISI 316L / stainless steel  
AISI 316L frame / cadre  
en acier inoxydable AISI  
316L / cornis acero inox  
AISI 316L / Rahmen aus  
Edelstahl AISI 316L



5141 (3W)




5141 (12W)

frontale in acciaio inox  
AISI 316L / stainless steel  
AISI 316L frame / cadre  
en acier inoxydable AISI  
316L / cornis acero inox  
AISI 316L / Rahmen aus  
Edelstahl AISI 316L




5131 (3W)




5131 (12W)

frontale in acciaio inox  
AISI 316L / stainless steel  
AISI 316L frame / cadre  
en acier inoxydable AISI  
316L / cornis acero inox  
AISI 316L / Rahmen aus  
Edelstahl AISI 316L




Art.	Art.	Art.	Art.		W	V	Type	LUX
5111LS3	5121LS3	5131LS3	5141LS3	○			6300°K 240LM	3180
5111LS3H	5121LS3H	5131LS3H	5141LS3H	○	10°	3 240	3200°K 190LM	2500
5111LS3B	5121LS3B	5131LS3B	5141LS3B	●			66LM	900
5111LS3R	5121LS3R	5131LS3R	5141LS3R	●			144LM	1900
5111LL3	5121LL3	5131LL3	5141LL3	○			6300°K 240LM	320
5111LL3H	5121LL3H	5131LL3H	5141LL3H	○	45°	3 240	3200°K 190LM	250
5111LL3B	5121LL3B	5131LL3B	5141LL3B	●			66LM	90
5111LL3R	5121LL3R	5131LL3R	5141LL3R	●			144LM	190
5111LS12	5121LS12	5131LS12	5141LS12	○	12°	12 240	6000°K 780LM	4000
5111LS12H	5121LS12H	5131LS12H	5141LS12H	○			3500°K 660LM	3400
5111LL12	5121LL12	5131LL12	5141LL12	○	40°	12 240	6000°K 780LM	850
5111LL12H	5121LL12H	5131LL12H	5141LL12H	○			3500°K 660LM	700

(3W) Transformer included



(12W) Transformer not required





mira150  
**LED**

Also available with:

cod. **0201007B**  
vetro opale/opal glass/  
verre opale/vicrio ópalo/  
Glas opal



**Antivandalism set**



**00KAV02**



**0303CA3**

per/for/pour/  
para/für

code: 5111...

**Antivandalism set**



**00KAV01**



**0303CA2.5**

per/for/pour/  
para/für

code: 5121...

code: 5131...

code: 5141...